## SAFETY DATA SHEET



1) IDENTIFICATION OF THE SU	Sheet number: BSTANCE / PREPARA		Revised on:	1 March 2014	Revision number: 8
Commercial name:	TEMPO®	SC			
Usage:	Insecticide				
Company identification:	0	68/011192/07 3, Isando 1600			
Telephone:	+27 11 365 +27 11 921				
Fax:	+27 11 921	5754			
Responsible department:	+27 11 921	opment and Regula 5429/5471/5639 nath@bayer.com	atory Affairs		
In case of poisoning emergencies Bayer (office hours only): Tygerberg Poison Centre: Griffon Poison Information Centre 2) HAZARD IDENTIFICATION O	+27 11 921 +27 21 931 e: +27 82 44				
Risk advice to man and the enviro	onment: Harmful if sv	to aquatic organis	ms, may caus	e long-term ad	verse effects in the aqu
3) COMPOSITION / INFORMATI Chemical nature: Suspension co					
		oncentrate) (SC)			
Beta-cyfluthrin	,	oncentrate) (SC)			
Beta-cyfluthrin Hazardous components:	125 g/ℓ				
Beta-cyfluthrin Hazardous components: Chemical Name beta-cyfluthrin 68	125 g/ℓ AS-No. / EINECS-No. 359-37-5	Symbol(s) T+, N	R-phras R26/28	e(s) R50/53	Concentration [%] 11,60
Beta-cyfluthrin Hazardous components: Chemical Name CA beta-cyfluthrin 68 26	125 g/ℓ AS-No. / EINECS-No. 359-37-5 9-855-7	Symbol(s) T+, N			
Beta-cyfluthrin Hazardous components: Chemical Name CA beta-cyfluthrin 68 26 For the full text of the R phrases r	125 g/ℓ AS-No. / EINECS-No. 359-37-5 9-855-7	Symbol(s) T+, N			
Beta-cyfluthrin Hazardous components: Chemical Name CA beta-cyfluthrin 68 26 For the full text of the R phrases r 4) FIRST AID MEASURES General advice: Move out of da	125 g/ℓ AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p	Symbol(s) T+, N on, see Section 16. atient is likely to be	R26/28	R50/53	11,60
Beta-cyfluthrin         Hazardous components:         Chemical Name       C/         beta-cyfluthrin       68         26         For the full text of the R phrases r         4) FIRST AID MEASURES         General advice:       Move out of da position. Remover	125 g/ℓ AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately.	R26/28	R50/53 ious, place and	11,60 transport in stable sidewa
Beta-cyfluthrin Hazardous components: Chemical Name C/ beta-cyfluthrin 68 26 For the full text of the R phrases r 4) FIRST AID MEASURES General advice: Move out of da position. Remov Skin contact: Wash off thoro	125 g/ℓ AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av	ecome unconsc	R50/53 ious, place and	11,60
Beta-cyfluthrin Hazardous components: Chemical Name C/ beta-cyfluthrin 68 26 For the full text of the R phrases r 4) FIRST AID MEASURES General advice: Move out of da position. Remo Skin contact: Wash off thoro water. After skin	125 g/ℓ AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo ughly with plenty of wa	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av in E cream or simpl	ecome unconsc vailable with pol le toilet milks.	R50/53 ious, place and yethyleneglycol	transport in stable sidew 400, subsequently rinse v
Beta-cyfluthrin         Hazardous components:         Chemical Name       CA         beta-cyfluthrin       68         26         For the full text of the R phrases r         4) FIRST AID MEASURES         General advice:       Move out of da position. Remo         Skin contact:       Wash off thoro water. After skin         Eye contact:       In case of contact	125 g/ℓ AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo ughly with plenty of wa in contact: Apply Vitam	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av in E cream or simpl oughly with plenty c	R26/28, ecome unconsc vailable with pol le toilet milks. of lukewarm wat	R50/53 ious, place and yethyleneglycol er for at least 15	transport in stable sidew 400, subsequently rinse v
Beta-cyfluthrin         Hazardous components:         Chemical Name       CA         beta-cyfluthrin       68         beta-cyfluthrin       68         For the full text of the R phrases r         4) FIRST AID MEASURES         General advice:       Move out of da position. Remo         Skin contact:       Wash off thoro water. After skin         Eye contact:       In case of contact	125 g/l AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo ughly with plenty of wa in contact: Apply Vitam act with eyes rinse thor	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av in E cream or simpl oughly with plenty c	R26/28, ecome unconsc vailable with pol le toilet milks. of lukewarm wat	R50/53 ious, place and yethyleneglycol er for at least 15	transport in stable sidew 400, subsequently rinse v
Beta-cyfluthrin         Hazardous components:         Chemical Name       C/         beta-cyfluthrin       68         Por the full text of the R phrases r         4) FIRST AID MEASURES         General advice:       Move out of da position. Removes         Skin contact:       Wash off thoro water. After skin         Eye contact:       In case of contact         Ingestion:       Do not induce water         NOTES TO PHYSICIAN:       Systemic:         Symptoms: Local:       After skin         Systemic:       Dizziness,	125 g/l AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo ughly with plenty of wa in contact: Apply Vitam act with eyes rinse thor romiting. Wash out more contact: paresthesia (li headache, listlessne	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av in E cream or simpl oughly with plenty o uth with water. Call ocal). Usually transi	R26/28, ecome unconsc vailable with pol le toilet milks. of lukewarm wat a physician imn ient with resolut vomiting, epiga	R50/53 ious, place and yethyleneglycol er for at least 15 nediately. ion within 24 ho stric pain, mus	11,60 transport in stable sidew 400, subsequently rinse v 5 minutes.
Beta-cyfluthrin         Hazardous components:         Chemical Name       C/         beta-cyfluthrin       68         beta-cyfluthrin       68         For the full text of the R phrases r         4) FIRST AID MEASURES         General advice:       Move out of da position. Remo         Skin contact:       Wash off thoro water. After skin         Eye contact:       In case of conta         Ingestion:       Do not induce water.         NOTES TO PHYSICIAN:       Symptoms: Local:       After skin         Symptoms: Local:       After skin         Systemic:       Dizziness, unconscie         Risks:       This product/preparat	125 g/l AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo ughly with plenty of wa in contact: Apply Vitam act with eyes rinse thor romiting. Wash out more contact: paresthesia (li headache, listlessne	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av in E cream or simpl oughly with plenty c uth with water. Call ocal). Usually transi- iss, nausea and v ind coma (very high id.	R26/28, ecome unconsc vailable with pol le toilet milks. of lukewarm wat a physician imn ient with resolut vomiting, epiga	R50/53 ious, place and yethyleneglycol er for at least 15 nediately. ion within 24 ho stric pain, mus	11,60 transport in stable sidew 400, subsequently rinse v 5 minutes.
Beta-cyfluthrin         Hazardous components:         Chemical Name       C/         beta-cyfluthrin       68         beta-cyfluthrin       68         For the full text of the R phrases r         4) FIRST AID MEASURES         General advice:       Move out of da position. Remo         Skin contact:       Wash off thoro water. After skin         Eye contact:       In case of conta         Ingestion:       Do not induce w         NOTES TO PHYSICIAN:         Symptoms:       Local:       After skin         Systemic:       Dizziness, unconscie         Risks:       This product/preparat         Must NOT be confuse	125 g/l AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo ughly with plenty of wa in contact: Apply Vitam act with eyes rinse thor vomiting. Wash out more contact: paresthesia (h , headache, listlessne ousness, convulsions a ion contains a pyrethro	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av in E cream or simpl oughly with plenty c uth with water. Call ocal). Usually transi ses, nausea and v ind coma (very high id. rus compounds!	ecome unconsc vailable with pol le toilet milks. of lukewarm wat a physician imm ient with resolut /omiting, epiga n doses), tremor	R50/53 ious, place and yethyleneglycol er for at least 15 nediately. ion within 24 ho stric pain, mus s, gastrointestin	transport in stable sidewa 400, subsequently rinse v 5 minutes.
Beta-cyfluthrin         Hazardous components:         Chemical Name       C/         beta-cyfluthrin       68         26         For the full text of the R phrases r         4) FIRST AID MEASURES         General advice:         Move out of da position. Removes         Skin contact:       Wash off thorowater. After skin         Eye contact:       In case of contact         Ingestion:       Do not induce work         NOTES TO PHYSICIAN:       Symptoms: Local:       After skin         Symptoms:       Local:       After skin         Systemic:       Dizziness, unconscion         Risks:       This product/preparat         Must NOT be confuse         Treatment:       Systemic treatment: Incharcoal.         Monitoring of respirat         ECG - monitoring (El)	125 g/l AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section angerous area. If the p ve soiled or soaked clo ughly with plenty of war n contact: Apply Vitam act with eyes rinse thor romiting. Wash out more contact: paresthesia (li , headache, listlessne busness, convulsions a ion contains a pyrethro add with organophospho Endotracheal intubation ory, cardiac and centra lectrocardiogram)	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av in E cream or simpl oughly with plenty c uth with water. Call ocal). Usually transi- iss, nausea and v ind coma (very high id. rus compounds! n should be done a	ecome unconsc vailable with pol le toilet milks. of lukewarm wat a physician imm ient with resolut /omiting, epiga n doses), tremor	R50/53 ious, place and yethyleneglycol er for at least 15 nediately. ion within 24 ho stric pain, mus s, gastrointestin	transport in stable sidewa 400, subsequently rinse v 5 minutes.
Beta-cyfluthrin Hazardous components: Chemical Name C/ beta-cyfluthrin 68 26 For the full text of the R phrases r 4) FIRST AID MEASURES General advice: Move out of da position. Remo Skin contact: Wash off thoro water. After skin Eye contact: In case of conta Ingestion: Do not induce v NOTES TO PHYSICIAN: Symptoms: Local: After skin Systemic: Dizziness, unconscid Risks: This product/preparat Must NOT be confuse Treatment: Systemic treatment: I charcoal. Monitoring of respirat ECG - monitoring (EI Early dialysis (h(a)em Check for pulmonary	125 g/l AS-No. / EINECS-No. 359-37-5 9-855-7 mentioned in this Section ingerous area. If the p ve soiled or soaked clo ughly with plenty of war in contact: Apply Vitam act with eyes rinse thom romiting. Wash out more contact: paresthesia (li headache, listlessne busness, convulsions a ion contains a pyrethro ad with organophospho Endotracheal intubation ory, cardiac and central lectrocardiogram) operfusion) oedema in event of inh	Symbol(s) T+, N on, see Section 16. atient is likely to be thing immediately. ater and soap, if av in E cream or simpl oughly with plenty of uth with water. Call ocal). Usually transi iss, nausea and v ind coma (very high id. irus compounds! n should be done a il nervous system.	R26/28, ecome unconsc vailable with pol le toilet milks. of lukewarm wat a physician imm ient with resolut /omiting, epiga n doses), tremor	R50/53 ious, place and yethyleneglycol er for at least 15 nediately. ion within 24 hor stric pain, mus s, gastrointestin age performed,	transport in stable sidewa 400, subsequently rinse v 5 minutes.



Contraindio	cation: Derivatives of adrenaline			
5) FIRE FIGHTING ME	ASURES			
Suitable extinguishing	media: Water spray, carbon dioxide (CO <sub>2</sub> ), foam, sand.			
Specific hazards during fire fighting: In the event of fire the following can be released: Hydrogen chloride (HCl), hydrogen cyanide (hydrocyanic acid), hydrogen fluoride, carbon monoxide (CO), nitrous gases (NOx).				
Special protective equi	pment for fire-fighters: In the event of fire and/or explosion do not breathe fumes. Use breathing apparatus.			
	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.			
6) ACCIDENTAL RELI	EASE MEASURES			
Personal precautions:	Avoid contact with spilled product or contaminated surfaces. Wear personal protective equipment. Unprotected persons must be kept away.			
Environmental precaut	ions: Do not discharge into the drains/surface water/groundwater.			
Methods for cleaning u	p: Take up with absorbent material (e.g. sand, earth or a proprietary absorbent material). Clean contaminated floors and objects thoroughly, observing environmental regulations. Pack spilled material in suitable containers for recovery or disposal.			
Additional advice:	Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.			
7) HANDLING AND ST	TORAGE			
Handling: Advice on	safe handling: Use only in area provided with appropriate exhaust ventilation.			
Store in ori Keep conta	nts for storage areas and containers: iginal container. ainer tightly closed in a dry and well-ventilated place. place accessible by authorized persons only.			
Advice on common sto	rage: Keep away from food, drink and animal feedingstuffs.			
Storage stability: Storage temperature: Other data:	< 50 °C Do not store at temperatures below -10 °C.			
Suitable materials: Only use containers that are approved specifically for the substance/product.				
8) EXPOSURE CONTROLS AND PERSONAL PROTECTION				
Personal protective equipment:				
In normal use and hand	dling conditions: Wear protective clothing, overall, rubber gloves and face shield during mixing and application.			
In all other cases the fo	bllowing recommendations would apply:			
Respiratory protection:	No personal respiratory protective equipment normally required. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.			
Hand protection:	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.			
Eye protection:	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).			
Skin and body protecti	on: Wear standard coverall and type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.			
Hygiene measures: 9) PHYSICAL AND CH	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled and/or soaked clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). <b>IEMICAL PROPERTIES</b>			

## SAFETY DATA SHEET



Form:	Liquid, suspension			
Colour:	Beige			
Odour:	Slight specific odour			
pH value:	4,0-5,0 at 100 % (20 °C)			
Density:	Ca. 1,08 g/cm³ at 20 °C			
Solubility in water:	Miscible			
Flash point:	No flash point up to 100 °C. Not determinable due to boiling at higher temperatures.			
10) STABILITY AND	REACTIVITY			
Hazardous reactions:	No hazardous reactions when stored and handled according to prescribed instructions.			
11) TOXICOLOGICA	LINFORMATION			
LD <sub>50</sub> dermal, rat:	960 mg/kg > 2000 mg/kg > 1,72 mg/l Exposure time: 4 h (as aerosol) Highest attainable concentration. Non-irritant			
Eye irritation, rabbit:	Slight irritant effect - does not require labeling			
Sensitization, guinea	pig: Non-sensitizing. OECD 406, Buehler test			
	conducted with a similar formulation.			
12) ECOLOGICAL IN	FORMATION			
Toxicity to fish: $LC_{50}$ : 0,00176 m Exposure time: 96 h	g/I Rainbow trout (Oncorhynchus mykiss)			
Toxicity to daphnia: EC <sub>50</sub> : 0,0036 mg Exposure time: 48 h	/I Water flea ( <i>Daphnia magna</i> )			
The above tests were	conducted with a similar formulation.			
13) DISPOSAL CONSIDERATIONS				
Disposal product:	Package product wastes. Close and label the waste receptacles and, likewise, any uncleaned empty containers. Dispose of them at a suitable waste incineration plant in accordance with the official regulations. Where large quantities are concerned, consult the supplier.			
Disposal Packaging:	Disposal in accordance with local legal provisions.			
14) TRANSPORT IN	FORMATION			
UN Number:	3082			
Class:	9			
IMDG:	-			
Ems:	F-A, S-F			
MFAG:	-			
Subsidiary risk:				
Packing group:				
Declaration for land s	hipment: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN SOLUTION)			
Declaration for sea sh	nipment: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN SOLUTION)			

## SAFETY DATA SHEET



3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Declaration for shipment by air: (BETA-CYFLUTHRIN SOLUTION) **15) REGULATORY INFORMATION** Classification and labelling in accordance with the EC Directive on dangerous preparations 1999/45/EC as amended. Classification: Labelling according to EC Directives, Hazardous components which must be listed on the label: Beta-cyfluthrin. Symbol(s): Xn: Harmful. N: Dangerous for the environment. R-phrase(s): R22: Harmful if swallowed. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S-phrase(s): S35: This material and its container must be disposed of in a safe way. S57: Use appropriate container to avoid environmental contamination. Exceptional labelling: To avoid risks to man and the environment, comply with the instructions for use. WHO Classification: II (Moderately hazardous). **16) OTHER INFORMATION** Text of R phrases mentioned in Section 3: R26/28: Very toxic by inhalation and if swallowed. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties. Consult the label for instructions for use.

THIS INFORMATION CONCERNS ONLY THE PRODUCT AS CONFORMING TO ITS SPECIFICATIONS AND LIMITED TO THE USES HEREIN STATED.

This sheet complements the technical sheet of use but does not replace it. The information contained on this sheet is based on knowledge of the product on the date of publication. It is given in good faith. If the logo in this document is not in colour, this document is a photocopy and could be out of date.